## **AMENDMENTS TO THE CLAIMS**

- 1. (Previously presented) A method of treating pain and inflammation comprising the steps
- of:
- administering a pre-determined dose of processed *Morinda citrifolia* to a patient two to three times per day; and

limiting undesired COX-1 inhibition relative to COX-2 inhibition by varying the concentration of said dose depending upon the age, weight, general health, diet, and sex of said patient, as well as the time and route of administration, rate of excretion, drug combination, and the severity of the particular disease being treated.

- 2. (Previously presented) The method of claim 1, wherein said pre-determined dose is between two and three ounces.
- 3. (Original) The method of claim 1, wherein the *Morinda citrifolia* is in liquid form.
- 4. (Original) The method of claim 1, wherein the *Morinda citrifolia* is included as an ingredient in a food product.
- 5. (Original) The method of claim 1, wherein the Morinda citrifolia is in capsule form.

- 6. (Original) The method of claim 1, wherein said dose of *Morinda citrifolia* inhibits the production of COX-2 related prostaglandins that cause pain and inflammation and inhibits to a lesser extent, the production of COX-1 related prostaglandins.
- 7. (Original) The method of claim 1, wherein said dose of *Morinda citrifolia* is administered at a predetermined concentration.
- 8. (Original) The method of claim 7, wherein said *Morinda citrifolia* is included as an ingredient in another food product.
- 9. (Previously presented) A method of treating pain and inflammation comprising the steps

obtaining a quantity of Morinda citrifolia juice and pulp;

filtering the wet pulp from the juice;

pasteurizing the juice; and

of:

providing a therapeutic dose of said *Morinda citrifolia* juice for consumption in an amount between about 2 and 3 ounces, wherein said dose is administered two to three times daily to limit undesired COX-1 inhibition relative to COX-2 inhibition.

10. (Original) The method of claim 9, wherein the *Morinda citrifolia* juice is included as an ingredient in a food product.

- 11. (Cancelled)
- 12. (Previously presented) A method of treating pain and inflammation comprising the steps of:

obtaining a quantity of Morinda citrifolia juice and pulp;

filtering the wet pulp from the juice, wherein the wet pulp has a fiber content of from 10% to 40%, by weight;

pasteurizing the pulp;

providing a therapeutic dose of said *Morinda citrifolia* pulp for consumption by a patient, wherein said dose is between two to three ounces that is administered two to three times daily for limiting undesired COX-1 inhibition relative to COX-2 inhibition; and

varying said dose depending upon the age, weight, general health, diet, and sex of said patient, as well as the time and route of administration, rate of excretion, drug combination, and the severity of the particular disease being treated.

- 13. (Original) The method of claim 12, wherein the *Morinda citrifolia* pulp is included as an ingredient in a food product.
- 14. (Cancelled)